



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
INSPECTOR GENERAL

DEC 05 2019

**MEMORANDUM**

**SUBJECT:** Acceptance of Planned Corrective Actions for Office of Inspector General Report No. 19-P-0302, *EPA Not Effectively Implementing the Lead-Based Paint Renovation, Repair and Painting Rule*, September 9, 2019

**FROM:** Charles J. Sheehan, Acting Inspector General *CTS*

**TO:** Susan Parker Bodine, Assistant Administrator  
Office of Enforcement and Compliance Assurance

Thank you for your November 7, 2019, response to the subject report. The report was issued with four unresolved recommendations. Your response adequately addressed our recommendations.

We accept the agency's planned corrective actions and milestones. You should track implementation of the agency's corrective actions in the U.S. Environmental Protection Agency's Management Audit Tracking System until all actions are completed.

If you or your staff have any questions, please contact Kevin Christensen, Assistant Inspector General for Audit and Evaluation, at (202) 566-1007 or [christensen.kevin@epa.gov](mailto:christensen.kevin@epa.gov); or Jeffrey Harris, Director, Toxics, Chemical Management and Pollution Prevention Directorate, at (202) 566-0831 or [harris.jeffrey@epa.gov](mailto:harris.jeffrey@epa.gov).

cc: Gwendolyn Spriggs, Audit Follow-Up Coordinator, Office of Enforcement and Compliance Assurance  
Kevin Christensen, Assistant Inspector General for Audit and Evaluation  
Richard Eyermann, Deputy Assistant Inspector General for Audit and Evaluation  
Christine El-Zoghbi, Deputy Assistant Inspector General for Audit and Evaluation  
Rashmi Bartlett, Deputy Assistant Inspector General for Audit and Evaluation  
Jeffrey Harris, Director, Toxics, Chemical Management and Pollution Prevention Directorate, Office of Inspector General